

AMENDMENTS TO THE CLAIMS:

Please amend the claims as follows:

Claims 1-54. (Canceled)

55. (Currently Amended) A combination of separate molecules, comprising

(a) a first molecule comprising at least 5 amino acids selected from the group consisting of amino acids 1-20, 7-26, 8-18, 13-32, 37-56, 49-68, 61-80 and 73-92 of an HCV polyprotein, SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, and SEQ ID NO: 8; and

(b) a second molecule comprising at least 5 amino acids selected from the group consisting of amino acids 1688-1707, 1694-1713, 1706-1725, 1712-1731, 1718-1737), 1724-1743 and 1730-1749 of an HCV polyprotein, SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14 and SEQ ID NO: 15, and

(c) a third molecule comprising at least 5 amino acids selected from the group consisting of amino acids 2263-2282, 2275-2294, 2287-2306, 2299-2318, and 2311-2330 of an HCV polyprotein, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, and SEQ ID NO: 20, [[and]]

wherein said molecules of (a), (b) and (c) are each separate molecules from one another, wherein said molecules of (a), (b) and (c) are each different from one another and wherein said molecules are selected from the group consisting of peptides and polypeptides, and

said combination including at least one molecule selected from the group consisting of

SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID NO: 5,
SEQ ID NO: 6, SEQ ID NO: 7, SEQ ID NO: 8, SEQ ID NO: 9, SEQ ID NO: 10, SEQ ID
NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14, SEQ ID NO: 16, SEQ ID NO:
17, SEQ ID NO: 18, SEQ ID NO: 19, SEQ ID NO: 20,

a peptide consisting of at least 5 to less than 20 amino acids located in the region
consisting of amino acids 7 to 26 of the HCV polyprotein of an HCV isolate which is
capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region
consisting of amino acids 13 to 32 of the HCV polyprotein of an HCV isolate which is
capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of amino acids 37 to 56 of the HCV polyprotein of an HCV
isolate which is capable of providing for immunological competition with at least one
strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the
region consisting of amino acids 49 to 68 of the HCV polyprotein of an HCV isolate
which is capable of providing for immunological competition with at least one strain of
HCV,

a peptide consisting of amino acids 61 to 80 of the HCV polyprotein of an HCV
isolate which is capable of providing for immunological competition with at least one
strain of HCV,

a peptide consisting of amino acids 73 to 92 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 1688 to 1707 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 1694 to 1713 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 1706 to 1725 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 1712 to 1731 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to at most 12 amino acids located in the region consisting of amino acids 1718 to 1737 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 1724 to 1743 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to at most 12 amino acids located in the region consisting of amino acids 1730 to 1749 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 2287 to 2306 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 2299 to 2318 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids located in the region consisting of amino acids 2311 to 2330 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:2,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:4,

a peptide consisting of 5, 6, 8, 12 or 20 amino acids of amino acids 37 to 56 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:6,

a peptide consisting of 5, 6, 8, 12 or 20 amino acids of amino acids 61 to 80 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of 5, 6, 8, 12 or 20 amino acids of amino acids 73 to 92 of the HCV polyprotein of an HCV isolate which is capable of providing for immunological competition with at least one strain of HCV,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:9,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:10,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:11,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:12,

a peptide consisting of at least 5 to at most 12 amino acids of SEQ ID NO:13,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO:14,

a peptide consisting of at least 5 to at most 12 amino acids of SEQ ID NO:15,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO: 18,

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO: 19,

and

a peptide consisting of at least 5 to less than 20 amino acids of SEQ ID NO: 20.

Claims 56-58. (Cancelled)

59. (Previously Presented) A combination according to claim 55, wherein said molecules comprising at least 5 amino acids are individually produced by recombinant expression or chemical synthesis.

60. (Previously Presented) A combination according to claim 55, wherein one or more of said first, second, or third molecules comprises a fusion polypeptide.

Claim 61. (Cancelled)

62. (Previously Presented) A combination according to claim 55, wherein the combination is packaged into a kit further comprising control reagents for detecting antibodies to hepatitis C virus (HCV) in a human body component suspected of containing said antibodies.

Claims 63-67. (Cancelled)

68. (Previously Presented) A combination of claim 55, wherein at least one of said molecules comprises synthetic peptides or polypeptides.

69. (Previously Presented) A combination of claim 68, wherein at least two of said molecules comprises synthetic peptides or polypeptides.

70. (Previously Presented) A combination of claim 69, wherein at least three of said molecules comprises synthetic peptides or polypeptides.

71. (Currently Amended) A combination of separate molecules, comprising
(a) a first molecule comprising at least 5 amino acids selected from the group
consisting of amino acids 1-20, 7-26, 8-18, 13-32, 37-56, 49-68, 61-80 and 73-92 of an
HCV polyprotein, SEQ ID NO: 1, SEQ ID NO: 2, SEQ ID NO: 3, SEQ ID NO: 4, SEQ ID
NO: 5, SEQ ID NO: 6, SEQ ID NO: 7, and SEQ ID NO: 8; and

(b) a second molecule comprising at least 5 amino acids selected from the group
consisting of amino acids 1688-1707, 1694-1713, 1706-1725, 1712-1731, 1718-1737),
1724-1743 and 1730-1749 of an HCV polyprotein, SEQ ID NO: 9, SEQ ID NO: 10, SEQ
ID NO: 11, SEQ ID NO: 12, SEQ ID NO: 13, SEQ ID NO: 14 and SEQ ID NO: 15, and

(c) a third molecule comprising at least 5 amino acids selected from the group
consisting of amino acids 2263-2282, 2275-2294, 2287-2306, 2299-2318, and 2311-

2330 of an HCV polyprotein, SEQ ID NO: 16, SEQ ID NO: 17, SEQ ID NO: 18, SEQ ID NO: 19, and SEQ ID NO: 20,

wherein said molecules of (a), (b) and (c) are each separate molecules from one another, wherein said molecules of (a), (b) and (c) are each different from one another and wherein said molecules are selected from the group consisting of peptides and polypeptides, and

~~A combination of molecules according to any of claims 55 or 68-70,~~ wherein at least one of said first, second and third molecules is selected from the group consisting of:

a first molecule comprising HCV polyprotein amino acids only from amino acids 1-92 of an HCV polyprotein or only from amino acids 1-92 of SEQ ID NO: 23;

a second molecule comprising HCV polyprotein amino acids only from amino acids 1688-1749 of an HCV polyprotein or only from amino acids 1688-1749 of SEQ ID NO: 23; and

a third molecule comprising HCV polyprotein amino acids only from amino acids 2263-2330 of an HCV polyprotein or only from amino acids 2263-2330 of SEQ ID NO: 23.

72. (Previously Presented) A combination of molecules according to any of claims 55 or 68-70, wherein at least two of said first, second and third molecules is selected from the group consisting of:

a first molecule comprising HCV polyprotein amino acids only from amino acids 1-92 of an HCV polyprotein or only from amino acids 1-92 of SEQ ID NO: 23;

a second molecule comprising HCV polyprotein amino acids only from amino acids 1688-1749 of an HCV polyprotein or only from amino acids 1688-1749 of SEQ ID NO: 23; and

a third molecule comprising HCV polyprotein amino acids only from amino acids 2263-2330 of an HCV polyprotein or only from amino acids 2263-2330 of SEQ ID NO: 23.

73. (Previously Presented) A combination of molecules according to any of claims 55 or 68-70, wherein:

said first molecule comprises HCV polyprotein amino acids only from amino acids 1-92 of an HCV polyprotein or only from amino acids 1-92 of SEQ ID NO: 23;

said second molecule comprises HCV polyprotein amino acids only from amino acids 1688-1749 of an HCV polyprotein or only from amino acids 1688-1749 of SEQ ID NO: 23; and

said third molecule comprises HCV polyprotein amino acids only from amino acids 2263-2330 of an HCV polyprotein or only from amino acids 2263-2330 of SEQ ID NO: 23.

74. (Withdrawn) A method for making a kit for detecting human antibodies that bind to HCV amino acids, comprising combining the combination of claim 71 with a support suitable for detecting whether antibodies bind to the molecules of said combination.

75. (Withdrawn) A method for making a kit for detecting human antibodies that bind to HCV amino acids, comprising combining the combination of claim 72 with a

support suitable for detecting whether antibodies bind to the molecules of said combination.

76. (Withdrawn) A method for making a kit for detecting human antibodies that bind to HCV amino acids, comprising combining the combination of claim 73 with a support suitable for detecting whether antibodies bind to the molecules of said combination.

77. (Previously Presented) A combination according to any of claims 55 or 68-70, wherein said first molecule comprises HCV polyprotein amino acids only from amino acids other than amino acids 1-6 of an HCV polyprotein or only from amino acids other than 1-6 of SEQ ID NO: 23.

78. (Previously Presented) A combination according to claim 71, wherein said first molecule comprises HCV polyprotein amino acids only from amino acids other than amino acids 1-6 of an HCV polyprotein or only from amino acids other than 1-6 of SEQ ID NO: 23.

79. (Previously Presented) A combination of claim 72, wherein said first molecule comprises HCV polyprotein amino acids only from amino acids other than amino acids 1-6 of an HCV polyprotein or only from amino acids other than 1-6 of SEQ ID NO: 23.

80. (Previously Presented) A combination of claim 73, wherein said first molecule comprises HCV polyprotein amino acids only from amino acids other than amino acids 1-6 of an HCV polyprotein or only from amino acids other than 1-6 of SEQ ID NO: 23.

81. (Previously Presented) A combination of any of claims 55 or 68-70, wherein

said at least 5 amino acids of said first molecule are selected from the amino acids of the group consisting of amino acids 7-26, 13-32, and 49-68 of an HCV polyprotein, SEQ ID NO:2, SEQ ID NO:4 and SEQ ID NO:6;

said at least 5 amino acids of said second molecule are selected from the amino acids of the group consisting of amino acids 1694-1713 of an HCV polyprotein and SEQ ID NO:10; and

wherein said at least 5 amino acids of said third molecule are selected from the amino acids of the group consisting of amino acids 2299-2318 of an HCV polyprotein and SEQ ID NO:19.

82. (Previously Presented) A combination of any of claims 55 or 68-70, wherein said at least 5 amino acids of said first molecule are selected from the amino acids of the group consisting of amino acids 1-20, 7-26, and 49-68 of an HCV polyprotein, SEQ ID NO:1, SEQ ID NO:2 and SEQ ID NO:6;

said at least 5 amino acids of said second molecule are selected from the amino acids of the group consisting of amino acids 1694-1713 and 1712-1731 of an HCV polyprotein, SEQ ID NO:10 and SEQ ID NO:12; and

wherein said at least 5 amino acids of said third molecule are selected from the amino acids of the group consisting of amino acids 2275-2294 and 2299-2318 of an HCV polyprotein, SEQ ID NO:17 and [[and]] SEQ ID NO:19.

83. (Previously Presented) A combination of any of claims 55 or 68-70, wherein

said at least 5 amino acids of said first molecule are selected from the amino acids of the group consisting of amino acids 7-26, 13-32, 37-56, and 49-68 of an HCV polyprotein, SEQ ID NO: 2, SEQ ID NO:4, SEQ ID NO:5 and SEQ ID NO:6;

said at least 5 amino acids of said second molecule are selected from the amino acids of the group consisting of amino acids 1688-1707 and 1712-1731 of an HCV polyprotein, SEQ ID NO:9 and SEQ ID NO:12; and

wherein said at least 5 amino acids of said third molecule are selected from the amino acids of the group consisting of amino acids 2275-2294 and 2299-2318 of an HCV polyprotein, SEQ ID NO:17 and SEQ ID NO:19.

84. (Previously Presented) A combination of claim 81, wherein

said at least 5 amino acids of said first molecule are selected from the amino acids of the group consisting of amino acids 7-26 of an HCV polyprotein and SEQ ID NO:2.

85. (Previously Presented) A combination of claim 55, wherein said combination coats a well of an immunoassay plate.

86. (Previously Presented) A combination of any one of claims 68-70 , wherein said combination coats a well of an immunoassay plate.

87. (Previously Presented) A combination of claim 81, wherein said combination coats a well of an immunoassay plate.

88. (Previously Presented) A combination of claim 82, wherein said combination coats a well of an immunoassay plate.

89. (Previously Presented) A combination of claim 83, wherein said combination coats a well of an immunoassay plate.

90. (Withdrawn) A combination of any of claims 55 or 68-70, wherein said combination is bound to an immunoassay strip.

91. (Withdrawn) A combination of claim 82, wherein said combination is bound to an immunoassay strip.

92. (Withdrawn) A combination of claim 82, wherein said combination is bound to an immunoassay strip.

93. (Withdrawn) A combination of claim 83, wherein said combination is bound to an immunoassay strip.